

December 22nd, 2020

The Hendricks County Drainage Board met in the Commissioners' Room on the first floor of the Hendricks County Government Center. Those present were President Phyllis A. Palmer, Vice President Matthew D. Whetstone, Members Bob Gentry, Jack Maloney and Stan Ryland, Hendricks County Attorney Greg Steuerwald, Hendricks County Chief Deputy Surveyor Tiffany Dalton, Dirk Leonard, Blake Stephenson, Gary Sowers, Rick Czap, and Dick Robertson.

President Phyllis A. Palmer determined there was a quorum and led the Pledge of Allegiance. Member Stan Ryland led a prayer for those who wished to participate. President Palmer then called for the first order of business.

RE: IN THE MATTER OF APPROVAL OF MINUTES:

President Palmer requested a motion with regards to the minutes of the December 8th, 2020 Drainage Board meeting. Member Bob Gentry moved to approve the December 8th, 2020 Drainage Board meeting minutes as Presented. Member Jack Maloney seconded the motion. The motion was unanimously passed.

RE: INTRODUCTION OF OTHER BUSINESS OR ADDITIONAL DISCUSSION BY COUNSEL, STAFF OR PUBLIC:

RE: HENDRICKS COUNTY ATTORNEY GREG STEUERWALD:

None cited.

RE: HENDRICKS COUNTY SURVEYOR DAVID GASTON:

Mary A. Gibbs Regulated Drain Project

Inspector Blake Stephenson informed the Board that the Mary A. Gibbs Regulated Drain project had been delayed by CSX Railroad as they wanted a complete professional engineer's plan and drawings for the project. The Board thanked Inspector Stephenson and asked him to keep them updated on the project.

John Scott Regulated Drain Project

The Board was informed that the Surveyor's Office had received 4 sealed quotes for the John Scott Regulated Drain project. President Palmer directed the quotes to be opened, they were as follows:

Beechwood Construction	\$ 63,892.00
Murrain Excavating	\$ 69,500.00
Arthur's Excavation	\$ 69,772.00
Via Excavating	\$ 77,907.77

After reviewing the quotes Inspector Stephenson recommended Beechwood Construction as they had the lowest responsible quote at \$63,892.00. Discussion followed. Vice President Whetstone moved to follow the recommendation. Member Stan Ryland seconded the motion. The motion was unanimously passed.

John Collins Regulated Drain Project

The Board was informed that the Surveyor's Office had received 3 sealed quotes for the John Collins Regulated Drain project. President Palmer directed the quotes to be opened, they were as follows:

Murrain Excavating	\$ 18,500.00
Beechwood Construction	\$ 20,640.00
Arthur's Excavation	\$ 29,700.00

After reviewing the quotes Inspector Stephenson recommended Murrain Excavating as they had the lowest responsible quote at \$18,500.00. Discussion followed. Vice President Whetstone moved to follow the recommendation. Member Bob Gentry seconded the motion. The motion was unanimously passed.

Fluvial Erosion Waiver – Richard Czap (32-07-33-400-024.000-022)

The Board was informed that not all the information needed for the Fluvial Erosion waiver request was submitted in time for the meeting and the Surveyor's Office requested a Continuance until the January 12th, 2021 meeting of the Drainage Board. Discussion followed. Member Bob Gentry moved to approve the Continuance request. Member Jack Maloney seconded the motion. The motion was unanimously passed.

2021 Regulated Drain Projects

Chief Deputy Dalton presented the Board with the list of anticipated 2021 Regulated Drain Projects. Discussion followed. The Board thanked Mrs. Dalton for the update.

Vice President Matthew Whetstone.

Hendricks County Chief Deputy Surveyor Tiffany Dalton on behalf of the entire Surveyor's Office thanked Vice President Whetstone for all his hard work and service and wished him well on all his new endeavors.

RE: IN THE MATTER OF WISHES TO BE HEARD:


None cited.

RE: INTRODUCTION OF OTHER BUSINESS OR ADDITIONAL DISCUSSION BY BOARD MEMBERS:

ADJOURN:

Seeing nothing further before the Board, Vice President Whetstone moved to adjourn the meeting. Member Stan Ryland seconded the motion. The motion was passed unanimously.

HENDRICKS COUNTY DRAINAGE BOARD:




 Phyllis A. Palmer, Member



 Dennis W. Dawes, Member




 Bob Gentry, Member



 Jack P. Maloney, Member

Not Present

 E. Stanley Ryland, Member

ATTEST: 

 Gary W. Sowers II



HENDRICKS COUNTY DRAINAGE BOARD

MEMBERS:

Phyllis Palmer, President
Matthew D, Whetstone, Vice President
Bob Gentry, Member

Jack P. Maloney, Member
E. Stanley Ryland, Member

December 22nd, 2020

Nancy Marsh
Hendricks County Auditor
Hendricks County Government Center
355 South Washington
Danville, IN 46122


RE: Mary A Gibbs Regulated Drain


Dear Nancy:

The Hendricks County Drainage Board in their meeting of December 8th, 2020 moved to vacate the northern end of the Mary A. Gibbs as legal drain on parcel 32-02-26-200-001.000-001. As such the property owner of this parcel will no longer be subject to a Drain Maintenance Assessment.

Dated this 22nd, day of December, 2020


HENDRICKS COUNTY DRAINAGE BOARD:



Phyllis A. Palmer, President


Matthew D. Whetstone, Vice-President


Bob Gentry, Member

Abstained
Jack P. Maloney, Member


E. Stanley Ryland, Member

ATTEST: 
Gary Sowers, Secretary

Murrain Excavating, Inc.
 PO Box 182
 Clayton, IN 46118
 ph. (317)539-6802 fax (317)539-6849
 email: murrain@tds.net



Estimate

Number: E515
 Date: 12/20/2020

Bill To:

Attention: David Gaston
 Hendricks County Storm Drain
 355 S. Washington Street #214
 Danville, IN, 46122

Ship To:

Job Name	Job Location	Parcel #	Project
John Collins Ditch	Preston Estates		Clearing/Dipping

Description	Quantity/Hours	Price/Rate	Amount
<p>To clear a large section of tree's in order to dip out the open ditch. Remove only any necessary tree's to be able to dip. Tree's and brush will be piled onsite within easement. Dip out approximately 2,400' of open ditch. Place spoils on top of bank</p> <p>Section of about 450' will be in yard area. This section of spoil will be loaded into truck and dumped along ditch outside of yard area. Yard area will be repaired, seeded and strawed.</p> <p>Total amount estimated to complete work as described above and as discussed during walk through:</p>			\$18,500.00

Total \$18,500.00

Stephanie A. Palmer
 Signature

12/22/20

Beechwood Construction, Inc.

Estimate

Date:12-19-20

Customer: Hendricks County Surveyor

Address: 355 S Washington St., #170, Danville, IN 46122

Job location: John Collins open ditch Preston Estates

Job description:

Clear trees along ditch in order to be able to dredge out ditch approximately 2400' in length. Place trees in easement and pile them. Dredge out ditch and remove any obstructions and place them in easement and level out when dry. Haul spoils away from area where yard is and leave them on site in the wooded section. Finish grade, seed and straw the yard area.

Materials needed:

grass seed and straw

Estimated total \$20,640.00

Arthur's Excavation & Farm Drainage
 PO BOX 38
 New Ross, IN 47968 US
 7659182809

Estimate

ADDRESS
 Hendricks County Surveyor
 355 S Washington St #214
 Danville, IN 46122

ESTIMATE #	DATE
1019	12/18/2020

P.O. NUMBER

John Collins open ditch

DATE	DESCRIPTION	QTY	RATE	AMOUNT
	digging out open ditch	2,400	3.00	7,200.00
	clearing the woods out and pile the trees up in the right away	1	22,500.00	22,500.00

Clear out trees on one side of the ditch where we can dip out 2400ft of open ditch. then dip out 2400 open ditch and smooth out spoils seed and straw where is needed. in one yard load spoils and move them into the woods where the land owner will not have sand in the yard. we will only take out the trees that we need to on the ditch where it can be dip then all trees piled in easement. Then haul away a few loads of concrete and debris

TOTAL

\$29,700.00

Accepted By

Accepted Date

Beechwood Construction, Inc.

Estimate

Date:12-19-20

Customer: Hendricks County Surveyor
Address: 355 S Washington St., #170, Danville, IN 46122
Job location: John Scott Tile
Job description:

Starting at Hwy 136, dig up old clay tile and replace it with 12" N-12 HDPE perforated pipe approximately 4600' in length. Install four 10" Hickenbottom risers per drawing. Hook up any laterals found to the new tile. Place #8 stone all around new tile and backfill. Finish grade all disturbed areas accordingly.

Materials needed:

4600' - 12" N-12 pipe	21,000.00
4 - 10" Hickenbottom risers	2,000.00
And misc. fittings	
#8 stone	N/A
Freight on stone	5,892.00
Machine and labor cost	<u>35,000.00</u>

Estimated total \$63,892.00

Cost of hooking up laterals:

4" & 6"	@ 150.00 each
8"	@ 175.00 each
10"	@ 320.00 each
12"	@ 350.00 each

Phyllis A. Palmer
Signature

12/22/20

Murrain Excavating, Inc.

PO Box 182
Clayton, IN 46118
ph. (317)539-6802 fax (317)539-6849
email: murrain@tds.net



Estimate

Number: E516

Date: 12/20/2020

Bill To:

Attention: David Gaston
Hendricks County Storm Drain
355 S. Washington Street #214
Danville, IN, 46122

Ship To:

Job Name John Scott Drain	Job Location Alexander Property	Parcel #	Project 12" N-12 Pipe
-------------------------------------	---	-----------------	---------------------------------

Description	Quantity/Hours	Price/Rate	Amount
From INDOT's pipe under 136, tear out all existing 12" clay tile and place back over top of new tile and cover up properly. Hook onto pipe under 136 and replace approximately 4,600' of 12" N-12 Smooth-corr. perforated pipe. Install four fabricated 12"x12"x10" Tee's with 10" hickenbottom risers. Stone all pipe with #67 stone. Push spoils back over stone and grade down to allow for settlement. Materials Estimated: (4,600' of 12" N-12 Smooth-corr. perf. pipe, four 12" fabricated Smooth-corr. tee's, four 10" hickenbottoms, hauling of 550 ton of #67 stone)			
Total amount estimated to complete work as described above:			\$69,500.00

Any laterals encountered will be additional cost

Any laterals sizes 4" to 6" will be an additional \$75 each

Any laterals sizes 8" or larger will require fabricated tee's and will be an additional \$300 each

Total

\$69,500.00

Arthur's Excavation & Farm Drainage
 PO BOX 38
 New Ross, IN 47968 US
 7659182809

Estimate

ADDRESS
 Hendricks County Surveyor
 355 S Washington St #214
 Danville, IN 46122

ESTIMATE #	DATE
1018	12/18/2020

P.O. NUMBER

john scott regulated drain

DATE	DESCRIPTION	QTY	RATE	AMOUNT
	12' dwp	4,600	13.62	62,652.00
	10" hickenbottom risers	4	250.00	1,000.00
	stone truck hauling rate	720	8.50	6,120.00

From indot pipe under 136 tear out all existing 12" clay tile to be place back over top of new tile going 4600 ft 12dwp hdpe then install 4- 10" hickenbottom that was shown on the map. then hook up any laterals that we hit and hook to the new tile. under 8" tile is 250.00 per tile over 8" is 650 per hookup Then all stone is paid for by hendricks county surveyor. We will provide the trucking and the pipe and rizers and any straw and seeding for the job

TOTAL

\$69,772.00

Accepted By

Accepted Date

VIA EXCAVATING, LLC

5991 South SR 39
Clayton, IN 46118
317-519-7047 / 317-440-5100
SamViaExcavating@gmail.com

Date: December 18, 2020
Ref. John Scott Regulated Drain
Southwest side of 136
Blake Stephenson
Drainage Inspector
Hendricks County Surveyor's Office
bstephenson@co.hendricks.in.us
317-766-4273 - cell
317-718-6001 - office

WORK DESCRIPTION:

- Hook on to pipe under 136 tearing out existing 12" clay and replacing with 12" double wall HDPE perforated for approximately 4600 ft (old clay tile to be crushed and used as backfill)
- All stone to be billed from Lincoln Stone or US Aggregates and paid by Hendricks County
- Install four 10" hickenbottom risers shown on aerial
- Hook up laterals to new tile if necessary
- Finish grade and repair any damages
- Seed, straw and fertilize

Total Project: \$77,907.77

Best regards,
Sam Via
Project Manager

Thanks for choosing Via!



HENDRICKS COUNTY DRAINAGE BOARD MEETING

12-21-20 MEETING ATTEDANCE SHEET

PLEASE PRINT

NAME

&

ADDRESS / COMPANY

© Rick Czaj

100N + 600 E

Dick Robertson

SDCA

Turn over for additional lines